

Chapter 16

Section 2

Mar 26 - 7:27 PM

Allele Frequencies

Scientists wondered if dominant alleles were more Common than recessive alleles.

Mar 26 - 7:27 PM

Hardy and Weinberg showed that the frequency of alleles and the ratio of heterozygous and homozygous does not change from one generation to the next.

It only changes if there is something that acts on one like a lethal dominant.

Mar 26 - 7:31 PM

Hardy-Weinberg principle-- states that the frequency of alleles in a population do not change unless evolutionary forces act on a population.

Mar 26 - 7:34 PM

HW holds true if a population is large enough that its members will not mate with relatives AND as long as evolutionary forces are not acting

Mar 26 - 7:35 PM

Five principles of evolution:

Mutation

Gene Flow

Nonrandom mating

Genetic drift

Natural Selection

Mar 26 - 7:36 PM

Mutation

Most genes only mutate 1 to 10 times per 100,000 cell divisions.

Mutation though is the cause of variation.

Mar 26 - 7:37 PM

Gene Flow

The movement of individual alleles into or out of a population.

Gene flow occurs because immigrants or emigrants add or take alleles.

Mar 26 - 7:38 PM

Nonrandom Mating

Some individuals prefer to mate with others that live nearby or are of their own phenotype!

Mar 26 - 7:40 PM

Interbreeding

The entire population of Old Order Amish of Pennsylvania (17,000) are descended from only a few individuals.
As a result 13% of the people are homozygous recessive for a rare allele that is a disease with a combination of dwarfism and extra fingers.


Mar 26 - 7:44 PM

Since the early 1770's
61 cases have been
reported this is about as
many as the rest of the world

Mar 26 - 7:46 PM

Genetic Drift

A fire or landslide can reduce a
large population to a Small group.
This can have a major effect on a
population.



Mar 26 - 7:41 PM

Natural Selection

The frequency of an allele will change depending on the allele's effects on Survival and reproduction.

Mar 26 - 7:47 PM

Natural Selection acts on phenotypes not on genotypes because it does not change actual alleles.

Apr 4 - 9:43 PM

Rare recessive alleles cannot be affected until the traits are showed.

This would mean that heterozygous individuals will have to mate to create homozygous recessive alleles.

Apr 4 - 9:55 PM

For example hemophilia has the potential of causing death from uncontrolled bleeding

This would remove the homozygous person from the population, but since heterozygotes do not have hemophilia they are not affected and so that condition still exist.

Apr 4 - 9:55 PM


If a recessive allele is homozygous rr in only 1 out of 100 then 18 out of 100 will be heterozygotes Rr . So natural selection can only act on 1 out of every 19 individuals that carry the allele.

Apr 4 - 9:56 PM

Polygenic trait - a trait that influenced by several genes like human height and hair color.


Polygenic traits exhibit a range clustered around an average.

Apr 4 - 9:56 PM




Grid - large

Normal distribution----
hill-shaped Curve with the
average as the summit.




Grid - large

When selection eliminates one extreme and the selection moves on one direction this is called directional selection. This is also by single-gene traits



Grid - large

When selection eliminates extremes at both ends of the range, then the frequency of the intermediate increase. This is called Stabilizing selection.



Grid - large