

## Birds

Most obvious things that distinguishes birds from other animals are their

feathers

Jan 18 - 7:07 PM

## Feathers

Modified scales developed from follicles in the skin

Birds molt and release their feathers, but not usually all at once

## Two Functions

Lift for flight

Conserve body heat

Jan 18 - 7:07 PM

Contour Feathers- cover the bird's body and give adult bird's shape

Flight feathers found on Wings and tail

Down Feathers cover young birds and are found beneath adult contour feathers.

Soft, fluffy, good insulation


Jan 18 - 7:08 PM

Contour feather has branches called barbs

Each barb has barbules with hook

The hooks creates a continuous shape in the feather while keeping it flexible.

Jan 18 - 7:08 PM



Jan 18 - 7:21 PM

Preening- bird pulls its feather through its beak re-hooking the hooks

Also spreads oil (from the preen gland) over its feathers.

The oil is for cleaning and water proofing.

Jan 18 - 7:09 PM

Feathers may also camouflage the animal and selection of a mate

Strong lightweight skeleton

Bones are thin and hollow

Jan 18 - 7:08 PM

## Endothermic Metabolism

They create heat through metabolism


Maintain a body temperature of 40 to 42 degrees Celsius (104 to 108 F)

The high temperature is due to the increased metabolism used for flight

Jan 18 - 7:10 PM

Completely divided ventricle

Four chambered heart



Oxygen rich and oxygen poor blood are completely seperate

Jan 18 - 7:10 PM

Highly efficient lungs


Lungs have a larger surface area than the lungs of amphibians

There is a limit to how much surface area can help of the lungs also need to be modified

Jan 18 - 7:11 PM

The air also passes over the surface in one direction

There are two advantages to one direction airflow



1. the lungs are exposed to fully

oxygenated air

2. The flow of blood in the lungs runs in a

different direction than the air flow

Jan 18 - 7:11 PM

## Birds are adapted for Different Ways of Life

There are 28 orders of birds, but 60% belong to the Passeriformes

There are 5,276 species in this order

Jan 18 - 7:11 PM

Birds are adapted by their beaks, legs, and feet

Carnivorous birds have talons and sharp claws

Ducks have webbed feet and flat beaks for water

Jan 18 - 7:12 PM

Finches have a short, thick beak for crushing seeds and Curled toes to cling to branches

Penguins wings and feet are modified for Swimming

Jan 18 - 7:12 PM